

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB130872

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P2538-01	POLE-SLEEVE-SOIL	1	100.04	0.00	05/22/2024	15:25
2	P2555-01	EO-01-052124	1	100.02	0.00	05/22/2024	15:32
3	P2556-01	COMP-1	1	100.02	0.00	05/22/2024	15:40
4	P2558-01	COMP-1	1	100.06	0.00	05/22/2024	15:47
5	P2564-01	HD-01-05212024	1	100.02	0.00	05/22/2024	15:55
6	P2564-01DUP	HD-01-05212024DUP	1	100.02	0.00	05/22/2024	16:02

WORKLIST(Hardcopy Internal Chain)

6130872

WorkList Name : pf-5-22

WorkList ID : 180438

Department : Wet-Chemistry

Date : 05-22-2024 09:08:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2538-01	POLE-SLEEVE-SOIL	Solid	Paint Filter	Cool 4 deg C	PSEG03	K31	05/20/2024	9095B
P2555-01	EO-01-052124	Solid	Paint Filter	Cool 4 deg C	PSEG05	K21	05/21/2024	9095B
P2556-01	COMP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	K31	05/21/2024	9095B
P2558-01	COMP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	K31	05/21/2024	9095B
P2564-01	HD-01-05212024	Solid	Paint Filter	Cool 4 deg C	PSEG05	K21	05/21/2024	9095B

Date/Time 05/22/2024 15.00
 Raw Sample Received by: RY CWC
 Raw Sample Relinquished by: RY CWC

Date/Time 05/22/2024 16.15
 Raw Sample Received by: RY CWC
 Raw Sample Relinquished by: RY CWC