

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/23/2024

OVENTEMP IN Celsius(°C): 108
Time IN: 16:30
In Date: 05/22/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:50
Out Date: 05/23/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130883

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2568-01	BH5Q4	1	1.18	8.63	9.81	8.23	81.7	
P2568-02	BH5Q5	2	1.12	8.46	9.58	8.37	85.7	
P2568-03	BH5Q6	3	1.16	8.50	9.66	8.64	88.0	
P2568-04	BH5Q6MS	4	1.16	8.50	9.66	8.64	88.0	
P2568-05	BH5Q6MSD	5	1.16	8.50	9.66	8.64	88.0	
P2568-06	BH5Q7	6	1.19	8.65	9.84	8.52	84.7	
P2568-07	BH5Q8	7	1.18	8.46	9.64	8.48	86.3	
P2568-08	BH5R4	8	1.19	8.51	9.7	8.35	84.1	
P2568-09	BH5R5	9	1.14	8.81	9.95	8.81	87.1	
P2568-10	BH5R7	10	1.14	8.52	9.66	8.53	86.7	
P2568-11	BH5R8	11	1.19	8.72	9.91	8.89	88.3	
P2568-12	BH632	12	1.15	8.80	9.95	8.35	81.8	
P2568-13	BH633	13	1.15	8.80	9.95	8.67	85.5	
P2568-14	BH634	14	1.16	8.65	9.81	8.55	85.4	
P2568-15	BH635	15	1.18	8.47	9.65	8.38	85.0	
P2568-16	BH636	16	1.18	8.69	9.87	8.73	86.9	
P2568-17	BH637	17	1.16	8.67	9.83	8.18	81.0	
P2568-18	BH638	18	1.17	8.60	9.77	8.38	83.8	
P2568-19	BH640	19	1.18	8.54	9.72	8.49	85.6	
P2568-20	BH641	20	1.13	8.68	9.81	8.7	87.2	
P2568-21	BH642	21	1.19	8.52	9.71	8.56	86.5	
P2568-22	BH643	22	1.19	8.65	9.84	8.81	88.1	
P2568-23	VHBLK001	23	1.00	1.00	2.00	2.00	100.0	vhblk

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$