

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/23/2024

OVENTEMP IN Celsius(°C): 108
Time IN: 17:15
In Date: 05/22/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 05/23/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB130888

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2573-01	MBH639	1	1.13	8.50	9.63	8.29	84.2	
P2573-02	MBH639D	2	1.13	8.50	9.63	8.29	84.2	
P2573-03	MBH639S	3	1.13	8.50	9.63	8.29	84.2	
P2573-04	MBH647	4	1.16	8.70	9.86	8.5	84.4	
P2573-05	MBH648	5	1.17	8.44	9.61	8.54	87.3	
P2573-06	MBH649	6	1.15	8.50	9.65	8.56	87.2	
P2573-07	MBH650	7	1.17	8.54	9.71	8.59	86.9	
P2573-08	MBH651	8	1.14	8.84	9.98	8.96	88.5	
P2573-09	MBH6B9	9	1.16	8.81	9.97	8.71	85.7	
P2573-10	MBH5R4	10	1.12	8.74	9.86	8.55	85.0	
P2573-11	MBH5R5	11	1.13	8.86	9.99	8.76	86.1	
P2573-12	MBH5R7	12	1.13	8.80	9.93	8.74	86.5	
P2573-13	MBH5R8	13	1.14	8.56	9.7	8.76	89.0	
P2573-14	MBH697	14	1.15	8.51	9.66	8.76	89.4	
P2573-15	MBH698	15	1.18	8.73	9.91	9.1	90.7	
P2573-16	MBH699	16	1.19	8.55	9.74	9.00	91.3	
P2573-17	MBH6A0	17	1.1	8.77	9.87	9.06	90.8	
P2573-18	MBH6A1	18	1.15	8.72	9.87	8.94	89.3	
P2573-19	MBH6A2	19	1.17	8.50	9.67	8.35	84.5	
P2573-20	MBH6A3	20	1.15	8.67	9.82	8.77	87.9	
P2573-21	MBH6C0	21	1.12	8.62	9.74	8.62	87.0	
P2573-22	MBH6C1	22	1.13	8.86	9.99	8.96	88.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$