

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/24/2024

OVENTEMP IN Celsius(°C): 108
Time IN: 13:25
In Date: 05/23/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 05/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB130891

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2570-01	BH6A9	1	1.17	8.69	9.86	8.66	86.2	
P2570-02	BH6B0	2	1.15	8.79	9.94	8.83	87.4	
P2570-03	BH6B1	3	1.16	8.72	9.88	8.56	84.9	
P2570-04	BH6B2	4	1.14	8.76	9.9	8.36	82.4	
P2570-05	BH6B3	5	1.15	8.69	9.84	8.55	85.2	
P2570-06	BH6B4	6	1.17	8.70	9.87	8.47	83.9	
P2570-07	BH6B5	7	1.17	8.61	9.78	8.26	82.3	
P2570-08	BH6B6	8	1.16	8.76	9.92	8.51	83.9	
P2570-09	BH6B8	9	1.15	8.73	9.88	8.63	85.7	
P2570-10	BH6B9	10	1.15	8.82	9.97	8.52	83.6	
P2570-11	BH6C0	11	1.15	8.81	9.96	8.69	85.6	
P2570-12	BH6C1	12	1.16	8.71	9.87	8.77	87.4	
P2570-13	BH5Q9	13	1.13	8.77	9.9	7.91	77.3	
P2570-14	BH5R0	14	1.14	8.78	9.92	8.00	78.1	
P2570-15	BH5R1	15	1.13	8.77	9.9	8.68	86.1	
P2570-16	BH5R1MS	16	1.13	8.77	9.9	8.68	86.1	
P2570-17	BH5R1MSD	17	1.13	8.77	9.9	8.68	86.1	
P2570-18	BH5R2	18	1.14	8.81	9.95	8.66	85.4	
P2570-19	BH5R3	19	1.14	8.72	9.86	8.59	85.4	
P2570-20	BH652	20	1.15	8.73	9.88	7.74	75.5	
P2570-21	BH653	21	1.16	8.81	9.97	8.35	81.6	
P2570-22	BH654	22	1.14	8.82	9.96	8.49	83.3	
P2570-23	VHBLK001	23	1.00	1.00	2.00	2.00	100.0	vhblk

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$