

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/24/2024

OVENTEMP IN Celsius(°C): 108
Time IN: 13:25
In Date: 05/23/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 05/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB130892

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2574-01	MBH6A4	1	1.15	8.80	9.95	8.92	88.3	
P2574-02	MBH6A4D	2	1.15	8.80	9.95	8.92	88.3	
P2574-03	MBH6A4S	3	1.15	8.80	9.95	8.92	88.3	
P2574-04	MBH6A5	4	1.16	8.58	9.74	8.17	81.7	
P2574-05	MBH6A6	5	1.11	8.60	9.71	8.06	80.8	
P2574-06	MBH6A7	6	1.19	8.63	9.82	7.68	75.2	
P2574-07	MBH6A8	7	1.13	8.75	9.88	8.29	81.8	
P2574-08	MBH6A9	8	1.17	8.69	9.86	8.66	86.2	
P2574-09	MBH6B0	9	1.15	8.79	9.94	8.83	87.4	
P2574-10	MBH6B1	10	1.16	8.72	9.88	8.56	84.9	
P2574-11	MBH6B2	11	1.14	8.76	9.9	8.36	82.4	
P2574-12	MBH6B3	12	1.15	8.69	9.84	8.55	85.2	
P2574-13	MBH6B4	13	1.17	8.70	9.87	8.47	83.9	
P2574-14	MBH6B5	14	1.17	8.61	9.78	8.26	82.3	
P2574-15	MBH6B6	15	1.16	8.76	9.92	8.51	83.9	
P2574-16	MBH5Q9	16	1.13	8.77	9.9	7.91	77.3	
P2574-17	MBH5R0	17	1.14	8.78	9.92	8.00	78.1	
P2574-18	MBH5R2	18	1.14	8.81	9.95	8.66	85.4	
P2574-19	MBH5R3	19	1.14	8.72	9.86	8.59	85.4	
P2574-20	MBH652	20	1.15	8.73	9.88	7.74	75.5	
P2574-21	MBH653	21	1.16	8.81	9.97	8.35	81.6	
P2574-22	MBH654	22	1.14	8.82	9.96	8.49	83.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$