

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/24/2024

OVENTEMP IN Celsius(°C): 108
Time IN: 14:05
In Date: 05/23/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:55
Out Date: 05/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130893

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2571-01	BH655	1	1.18	8.79	9.97	8.43	82.5	
P2571-02	BH656	2	1.17	8.80	9.97	8.54	83.7	
P2571-03	BH657	3	1.19	8.55	9.74	8.66	87.4	
P2571-04	BH658	4	1.16	8.68	9.84	9.00	90.3	
P2571-05	BH659	5	1.15	8.78	9.93	9.06	90.1	
P2571-06	BH660	6	1.18	8.62	9.8	8.88	89.3	
P2571-07	BH661	7	1.16	8.81	9.97	8.69	85.5	
P2571-08	BH662	8	1.17	8.68	9.85	8.38	83.1	
P2571-09	BH663	9	1.15	8.75	9.9	8.99	89.6	
P2571-10	BH664	10	1.15	8.74	9.89	8.78	87.3	
P2571-11	BH665	11	1.18	8.67	9.85	8.78	87.7	
P2571-12	BH666	12	1.16	8.78	9.94	8.97	89.0	
P2571-13	BH667	13	1.15	8.73	9.88	8.05	79.0	
P2571-14	BH668	14	1.15	8.75	9.9	8.23	80.9	
P2571-15	BH669	15	1.15	8.68	9.83	8.00	78.9	
P2571-16	BH670	16	1.14	8.80	9.94	8.44	83.0	
P2571-17	BH671	17	1.14	8.85	9.99	8.93	88.0	
P2571-18	BH6C2	18	1.14	8.74	9.88	8.11	79.7	
P2571-20	BH6A4	19	1.15	8.80	9.95	8.92	88.3	
P2571-21	VHBLK001	20	1.00	1.00	2.00	2.00	100.0	vhblk
P2571-23	BH6A4MS	21	1.15	8.80	9.95	8.92	88.3	
P2571-24	BH6A4MSD	22	1.15	8.80	9.95	8.92	88.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$