

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/24/2024

OVENTEMP IN Celsius(°C): 108
Time IN: 16:25
In Date: 05/23/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 05/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130905

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2549-01	BH618	1	1.15	8.73	9.88	7.82	76.4	
P2549-02	BH619	2	1.16	8.57	9.73	7.89	78.5	
P2549-03	BH620	3	1.19	8.57	9.76	7.95	78.9	
P2549-04	BH621	4	1.14	8.54	9.68	8.08	81.3	
P2549-05	BH622	5	1.16	8.66	9.82	8.59	85.8	
P2549-06	BH623	6	1.18	8.46	9.64	7.14	70.4	
P2549-07	BH624	7	1.19	8.42	9.61	8.26	84.0	
P2549-08	BH625	8	1.15	8.81	9.96	8.52	83.7	
P2549-09	BH625MS	9	1.15	8.81	9.96	8.52	83.7	
P2549-10	BH625MSD	10	1.15	8.81	9.96	8.52	83.7	
P2549-11	BH626	11	1.16	8.49	9.65	8.14	82.2	
P2549-12	BH627	12	1.13	8.85	9.98	8.77	86.3	
P2549-13	BH629	13	1.11	8.77	9.88	8.06	79.2	
P2549-14	BH630	14	1.14	8.81	9.95	8.27	80.9	
P2549-15	BH631	15	1.15	8.40	9.55	8.21	84.0	
P2549-17	VHBLK001	16	1.00	1.00	2.00	2.00	100.0	vhblk
P2549-19	BHBM7	17	1.16	8.59	9.75	8.68	87.5	
P2549-20	BHBM8	18	1.18	8.75	9.93	8.28	81.1	
P2549-21	BHBM9	19	1.18	8.49	9.67	8.37	84.7	
P2549-22	BHBN0	20	1.18	8.76	9.94	8.57	84.4	
P2549-23	BHBN1	21	1.11	8.87	9.98	8.29	80.9	
P2549-24	BHBN2	22	1.14	8.83	9.97	8.73	86.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$