

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:25
In Date: 05/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 05/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130914

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2589-01	BH5W2	1	1.12	8.46	9.58	8.44	86.5	
P2589-02	BH5W3	2	1.18	8.73	9.91	8.07	78.9	
P2589-03	BH5W4	3	1.13	8.61	9.74	8.57	86.4	
P2589-04	BH5W5	4	1.12	8.69	9.81	8.64	86.5	
P2589-05	BH5W5MS	5	1.12	8.69	9.81	8.64	86.5	
P2589-06	BH5W5MSD	6	1.12	8.69	9.81	8.64	86.5	
P2589-07	BH5W6	7	1.18	8.49	9.67	8.61	87.5	
P2589-08	BH5W7	8	1.12	8.63	9.75	8.72	88.1	
P2589-09	BH6C3	9	1.15	8.69	9.84	8.42	83.7	
P2589-10	BH6C4	10	1.15	8.79	9.94	8.71	86.0	
P2589-11	BH6C5	11	1.19	8.36	9.55	8.64	89.1	
P2589-12	BH6C6	12	1.16	8.70	9.86	8.71	86.8	
P2589-13	BH6C7	13	1.12	8.38	9.5	8.3	85.7	
P2589-14	BH6C8	14	1.13	8.70	9.83	7.81	76.8	
P2589-15	BH6C9	15	1.16	8.80	9.96	8.33	81.5	
P2589-16	BH6D0	16	1.17	8.56	9.73	8.47	85.3	
P2589-17	BH6D1	17	1.15	8.82	9.97	8.94	88.3	
P2589-18	BH6D2	18	1.17	8.81	9.98	8.7	85.5	
P2589-19	BH6D3	19	1.19	8.40	9.59	7.81	78.8	
P2589-20	BH6D4	20	1.14	8.63	9.77	8.15	81.2	
P2589-21	BH6D5	21	1.18	8.74	9.92	8.7	86.0	
P2589-22	BH6D6	22	1.11	8.63	9.74	8.5	85.6	
P2589-23	VHBLK001	23	1.00	1.00	2.00	2.00	100.0	vhblk

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$