

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:05
In Date: 05/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 05/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB130920

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2594-01	MBH6E7	1	1.14	8.69	9.83	8.1	80.1	
P2594-02	MBHBK8	2	1.19	8.52	9.71	8.47	85.4	
P2594-03	MBHBK9	3	1.19	8.63	9.82	8.71	87.1	
P2594-04	MBHBL0	4	1.15	8.60	9.75	8.7	87.8	
P2594-05	MBHBL1	5	1.13	8.68	9.81	8.65	86.6	
P2594-06	MBHBL2	6	1.19	8.50	9.69	8.36	84.4	
P2594-07	MBHBL3	7	1.15	8.40	9.55	8.12	83.0	
P2594-08	MBHBL4	8	1.15	8.50	9.65	8.67	88.5	
P2594-09	MBHBL5	9	1.13	8.73	9.86	8.34	82.6	
P2594-10	MBHBL6	10	1.11	8.66	9.77	8.17	81.5	
P2594-11	MBHBL7	11	1.19	8.43	9.62	8.03	81.1	
P2594-12	MBHBL8	12	1.18	8.62	9.8	8.41	83.9	
P2594-13	MBHBL9	13	1.16	8.61	9.77	8.66	87.1	
P2594-14	MBHBM0	14	1.15	8.64	9.79	8.29	82.6	
P2594-15	MBHBM0D	15	1.15	8.64	9.79	8.29	82.6	
P2594-16	MBHBM0S	16	1.15	8.64	9.79	8.29	82.6	
P2594-17	MBHBM1	17	1.12	8.82	9.94	8.4	82.5	
P2594-18	MBHBM2	18	1.19	8.63	9.82	8.15	80.6	
P2594-19	MBHBM3	19	1.19	8.63	9.82	8.5	84.7	
P2594-20	MBHBM4	20	1.15	8.35	9.5	8.92	93.1	
P2594-21	MBHBM5	21	1.15	8.82	9.97	8.91	88.0	
P2594-22	MBHBM6	22	1.19	8.73	9.92	8.91	88.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$