

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:25
In Date: 05/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:22
Out Date: 05/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB130924

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2592-02	MBH5S3	1	1.13	8.85	9.98	8.17	79.5	
P2592-03	MBH5S4	2	1.13	8.46	9.59	8.38	85.7	
P2592-04	MBH5S5	3	1.15	8.65	9.8	8.54	85.4	
P2592-05	MBH5S5D	4	1.15	8.65	9.8	8.54	85.4	
P2592-06	MBH5S5S	5	1.15	8.65	9.8	8.54	85.4	
P2592-07	MBH5S6	6	1.14	8.41	9.55	8.21	84.1	
P2592-08	MBH5S7	7	1.19	8.38	9.57	8.01	81.4	
P2592-09	MBH5T8	8	1.13	8.69	9.82	7.83	77.1	
P2592-10	MBH5T9	9	1.16	8.78	9.94	7.91	76.9	
P2592-11	MBH5W1	10	1.19	8.79	9.98	8.85	87.1	
P2592-12	MBH6D7	11	1.16	8.75	9.91	8.76	86.9	
P2592-13	MBH6D8	12	1.13	8.76	9.89	7.86	76.8	
P2592-14	MBH6D9	13	1.16	8.66	9.82	8.21	81.4	
P2592-15	MBH6E0	14	1.16	8.48	9.64	8.15	82.4	
P2592-16	MBH6E1	15	1.15	8.80	9.95	9.11	90.5	
P2592-17	MBH6E2	16	1.14	8.83	9.97	9.05	89.6	
P2592-18	MBH6E3	17	1.19	8.53	9.72	8.47	85.3	
P2592-19	MBH6E4	18	1.13	8.81	9.94	9.03	89.7	
P2592-20	MBH6E5	19	1.15	8.82	9.97	8.99	88.9	
P2592-21	MBH6E6	20	1.16	8.70	9.86	8.78	87.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$