

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/29/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:25
In Date: 05/28/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:35
Out Date: 05/29/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB130936

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2576-01	MBH5R6	1	1.15	8.74	9.89	8.68	86.2	
P2576-02	MBH5R6D	2	1.15	8.74	9.89	8.68	86.2	
P2576-03	MBH5R6S	3	1.15	8.74	9.89	8.68	86.2	
P2576-04	MBHBN3	4	1.12	8.45	9.57	7.63	77.0	
P2576-05	MBHBN4	5	1.15	8.50	9.65	8.61	87.8	
P2576-06	MBHBN5	6	1.18	8.50	9.68	8.65	87.9	
P2576-07	MBHBN6	7	1.18	8.52	9.7	7.87	78.5	
P2576-08	MBHBN7	8	1.18	8.59	9.77	8.32	83.1	
P2576-09	MBHBN8	9	1.12	8.64	9.76	6.91	67.0	
P2576-10	MBHBN9	10	1.11	8.78	9.89	8.34	82.3	
P2576-11	MBHBP0	11	1.14	8.58	9.72	8.14	81.6	
P2576-12	MBHBP1	12	1.16	8.80	9.96	9.00	89.1	
P2576-13	MBHBP2	13	1.18	8.52	9.7	8.95	91.2	
P2576-14	MBHBP8	14	1.15	8.82	9.97	8.6	84.5	
P2576-15	MBHBP9	15	1.12	8.73	9.85	7.89	77.5	
P2576-16	MBHBQ0	16	1.15	8.38	9.53	8.24	84.6	
P2576-17	MBHBW4	17	1.18	8.60	9.78	8.43	84.3	
P2576-18	MBHBR5	18	1.13	8.59	9.72	8.73	88.5	
P2576-19	MBHBR6	19	1.14	8.55	9.69	7.24	71.3	
P2576-20	MBHBR7	20	1.12	8.85	9.97	8.00	77.7	
P2576-21	MBHBR9	21	1.11	8.77	9.88	8.83	88.0	
P2576-22	MBHBS0	22	1.14	8.70	9.84	8.78	87.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$