

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/29/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 05/28/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 05/29/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130952

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2634-01	BHBW7	1	1.15	8.80	9.95	8.6	84.7	
P2634-02	BHBW8	2	1.18	8.52	9.7	8.35	84.2	
P2634-03	BHBW9	3	1.15	8.47	9.62	8.31	84.5	
P2634-04	BHBW9MS	4	1.15	8.47	9.62	8.31	84.5	
P2634-05	BHBW9MSD	5	1.15	8.47	9.62	8.31	84.5	
P2634-06	BHBX0	6	1.19	8.52	9.71	8.65	87.6	
P2634-07	BHBX1	7	1.18	8.79	9.97	9.2	91.2	
P2634-08	BHBX2	8	1.14	8.79	9.93	8.59	84.8	
P2634-09	BHBX3	9	1.16	8.42	9.58	8.42	86.2	
P2634-10	BHBX4	10	1.12	8.55	9.67	8.61	87.6	
P2634-11	BHBX5	11	1.19	8.55	9.74	8.43	84.7	
P2634-12	BHBX6	12	1.18	8.57	9.75	8.56	86.1	
P2634-13	BHBX7	13	1.12	8.87	9.99	7.9	76.4	
P2634-14	BHBX8	14	1.17	8.43	9.6	8.17	83.0	
P2634-15	BHBX9	15	1.16	8.48	9.64	8.43	85.7	
P2634-16	BHBY0	16	1.19	8.40	9.59	8.58	88.0	
P2634-17	BHBY1	17	1.15	8.62	9.77	8.72	87.8	
P2634-18	BHBY2	18	1.12	8.45	9.57	8.00	81.4	
P2634-19	BHBY3	19	1.11	8.45	9.56	8.46	87.0	
P2634-20	BHBY4	20	1.19	8.58	9.77	8.7	87.5	
P2634-21	BHBY5	21	1.14	8.81	9.95	8.95	88.6	
P2634-22	BHBY6	22	1.13	8.45	9.58	8.57	88.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$