

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/31/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:25
In Date: 05/30/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:37
Out Date: 05/31/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB130974

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2624-01	MBHBQ8	1	1.12	8.75	9.87	8.49	84.2	
P2624-02	MBHBQ8D	2	1.12	8.75	9.87	8.49	84.2	
P2624-03	MBHBQ8S	3	1.12	8.75	9.87	8.49	84.2	
P2624-04	MBHBQ9	4	1.13	8.70	9.83	8.65	86.4	
P2624-05	MBHBR0	5	1.19	8.58	9.77	8.65	86.9	
P2624-06	MBHBR1	6	1.16	8.61	9.77	7.99	79.3	
P2624-07	MBHBR2	7	1.13	8.46	9.59	8.04	81.7	
P2624-08	MBHBR3	8	1.13	8.60	9.73	8.33	83.7	
P2624-09	MBHBR4	9	1.13	8.67	9.8	8.72	87.5	
P2624-10	MBHBW7	10	1.15	8.80	9.95	8.6	84.7	
P2624-11	MBHBW8	11	1.18	8.52	9.7	8.35	84.2	
P2624-12	MBHBX0	12	1.19	8.52	9.71	8.65	87.6	
P2624-13	MBHBX1	13	1.18	8.79	9.97	9.2	91.2	
P2624-14	MBHBX2	14	1.14	8.79	9.93	8.59	84.8	
P2624-15	MBHBX3	15	1.16	8.42	9.58	8.42	86.2	
P2624-16	MBHBX4	16	1.12	8.55	9.67	8.61	87.6	
P2624-17	MBHBX5	17	1.19	8.55	9.74	8.43	84.7	
P2624-18	MBHBX6	18	1.18	8.57	9.75	8.56	86.1	
P2624-19	MBHBX7	19	1.12	8.87	9.99	7.9	76.4	
P2624-20	MBHBX8	20	1.17	8.43	9.6	8.17	83.0	
P2624-21	MBHBX9	21	1.16	8.48	9.64	8.43	85.7	
P2624-22	MBHBY0	22	1.19	8.40	9.59	8.58	88.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$