

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/31/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:25
In Date: 05/30/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 05/31/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB130979

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2649-01	MBH5T4	1	1.18	8.43	9.61	7.8	78.5	
P2649-02	MBH5T5	2	1.16	8.55	9.71	7.99	79.9	
P2649-03	MBH5T5D	3	1.16	8.55	9.71	7.99	79.9	
P2649-04	MBH5T5S	4	1.16	8.55	9.71	7.99	79.9	
P2649-05	MBH5T6	5	1.16	8.73	9.89	8.63	85.6	
P2649-06	MBH5T7	6	1.12	8.78	9.9	8.77	87.1	
P2649-07	MBHBS1	7	1.12	8.72	9.84	7.64	74.8	
P2649-08	MBHBS2	8	1.19	8.62	9.81	8.07	79.8	
P2649-09	MBHBS3	9	1.14	8.81	9.95	8.46	83.1	
P2649-10	MBHBS4	10	1.19	8.42	9.61	8.16	82.8	
P2649-11	MBHBS5	11	1.12	8.46	9.58	8.7	89.6	
P2649-12	MBHBS6	12	1.19	8.73	9.92	8.11	79.3	
P2649-13	MBHBS7	13	1.15	8.40	9.55	8.17	83.6	
P2649-14	MBHBS8	14	1.16	8.63	9.79	8.53	85.4	
P2649-15	MBHBS9	15	1.14	8.48	9.62	8.35	85.0	
P2649-16	MBHBT0	16	1.19	8.42	9.61	8.62	88.2	
P2649-17	MBHBT1	17	1.13	8.80	9.93	8.81	87.3	
P2649-18	MBHBT2	18	1.17	8.74	9.91	8.9	88.4	
P2649-19	MBHBT3	19	1.16	8.49	9.65	8.74	89.3	
P2649-20	MBHBT4	20	1.17	8.40	9.57	8.73	90.0	
P2649-21	MBHBT5	21	1.18	8.48	9.66	8.93	91.4	
P2649-22	MBHBT6	22	1.15	8.80	9.95	8.97	88.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$