

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB130989

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P2610-01	HR-01-05242024	1	100.03	0.00	05/30/2024	16:10
2	P2610-01DUP	HR-01-05242024DUP	1	100.02	0.00	05/30/2024	16:17
3	P2610-03	HR-02-05242024	1	100.07	0.00	05/30/2024	16:25
4	P2637-01	WCS-TPT	1	100.05	0.00	05/30/2024	16:32
5	P2646-01	WCS-TPS	1	100.02	0.00	05/30/2024	16:40
6	P2654-01	OR-03-052924	1	100.03	0.00	05/30/2024	16:47
7	P2655-01	EO-02-052924	1	100.02	0.00	05/30/2024	16:55

WORKLIST(Hardcopy Internal Chain)

66130989

WorkList Name : pf-5-30

WorkList ID : 180629

Department : Wet-Chemistry

Date : 05-30-2024 08:23:28

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2610-01	HR-01-05242024	Solid	Paint Filter	Cool 4 deg C	PSEG05	K21	05/24/2024	9095B
P2610-03	HR-02-05242024	Solid	Paint Filter	Cool 4 deg C	PSEG05	K21	05/24/2024	9095B
P2637-01	WCS-TPT	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/28/2024	9095B
P2646-01	WCS-TPS	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/29/2024	9095B
P2654-01	OR-03-052924	Solid	Paint Filter	Cool 4 deg C	PSEG05	K21	05/29/2024	9095B
P2655-01	EO-02-052924	Solid	Paint Filter	Cool 4 deg C	PSEG05	K21	05/29/2024	9095B

Date/Time 05/30/2024 15:56
 Raw Sample Received by: RM CWL
 Raw Sample Relinquished by: 70 CWL

Date/Time 05/30/2024 17:15
 Raw Sample Received by: 70 CWL
 Raw Sample Relinquished by: RM CWL