

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/31/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:50
In Date: 05/30/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 05/31/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130998

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2640-01	A4BG7	1	1.15	8.66	9.81	8.11	80.4	
P2640-02	A4BG8	2	1.15	8.82	9.97	7.25	69.2	
P2640-03	A4BH5	3	1.18	8.81	9.99	7.82	75.4	
P2640-04	A4C15	4	1.17	8.60	9.77	7.32	71.5	
P2640-05	A4C15MS	5	1.17	8.60	9.77	7.32	71.5	
P2640-06	A4C15MSD	6	1.17	8.60	9.77	7.32	71.5	
P2640-07	A4C20	7	1.16	8.82	9.98	8.43	82.4	
P2640-08	A4C22	8	1.14	8.71	9.85	9.11	91.5	
P2640-09	A4C23	9	1.13	8.72	9.85	9.1	91.4	
P2640-10	A4C24	10	1.16	8.80	9.96	8.49	83.3	
P2640-11	A4C25	11	1.15	8.80	9.95	9.23	91.8	
P2640-12	A4C26	12	1.11	8.62	9.73	6.69	64.7	
P2640-13	A4C33	13	1.13	8.70	9.83	8.31	82.5	
P2640-14	A4C35	14	1.16	8.54	9.7	8.92	90.9	
P2640-15	A4C39	15	1.15	8.80	9.95	8.73	86.1	
P2640-16	A4C40	16	1.16	8.48	9.64	7.98	80.4	
P2640-17	A4C41	17	1.19	8.73	9.92	9.04	89.9	
P2640-18	A4DC8	18	1.00	1.00	2.00	2.00	100.0	FB
P2640-19	VHBLK001	19	1.00	1.00	2.00	2.00	100.0	VHBLK
P2640-20	A4C24	20	1.16	8.80	9.96	8.49	83.3	
P2640-21	A4C25	21	1.15	8.80	9.95	9.23	91.8	
P2640-22	A4C35	22	1.16	8.54	9.7	8.92	90.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$