

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/3/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:25
In Date: 05/31/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:40
Out Date: 06/01/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131006

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2659-01	BHC24	1	1.18	8.63	9.81	8.38	83.4	
P2659-02	BHC25	2	1.19	8.48	9.67	8.64	87.9	
P2659-03	BHC26	3	1.19	8.64	9.83	8.99	90.3	
P2659-04	BHC26MS	4	1.19	8.64	9.83	8.99	90.3	
P2659-05	BHC26MSD	5	1.19	8.64	9.83	8.99	90.3	
P2659-06	BHC27	6	1.19	8.56	9.75	9.02	91.5	
P2659-07	BHC28	7	1.19	8.43	9.62	8.84	90.7	
P2659-08	BHC29	8	1.19	8.55	9.74	8.35	83.7	
P2659-09	BHC30	9	1.16	8.45	9.61	8.6	88.0	
P2659-10	BHC31	10	1.15	8.60	9.75	8.82	89.2	
P2659-11	BHC32	11	1.12	8.47	9.59	8.56	87.8	
P2659-12	BHC33	12	1.19	8.45	9.64	8.72	89.1	
P2659-13	BHC34	13	1.13	8.74	9.87	8.38	83.0	
P2659-14	BHC35	14	1.19	8.55	9.74	8.47	85.1	
P2659-15	BHC36	15	1.19	8.55	9.74	8.67	87.5	
P2659-16	BHC37	16	1.15	8.36	9.51	8.48	87.7	
P2659-17	BHC38	17	1.19	8.48	9.67	8.65	88.0	
P2659-18	BHC39	18	1.15	8.83	9.98	7.89	76.3	
P2659-19	BHC40	19	1.1	8.64	9.74	7.65	75.8	
P2659-20	BHC41	20	1.16	8.52	9.68	8.28	83.6	
P2659-21	BHC42	21	1.19	8.78	9.97	8.49	83.1	
P2659-22	BHC43	22	1.18	8.45	9.63	8.3	84.3	
P2659-23	VHBLK001	23	1.00	1.00	2.00	2.00	100.0	vhblk

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$