

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/3/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:10
In Date: 06/01/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 06/02/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB131026

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2679-01	MBH672	1	1.18	8.47	9.65	7.93	79.7	
P2679-02	MBH673	2	1.19	8.47	9.66	8.58	87.2	
P2679-03	MBH674	3	1.19	8.55	9.74	8.8	89.0	
P2679-04	MBH674D	4	1.19	8.55	9.74	8.8	89.0	
P2679-05	MBH674S	5	1.19	8.55	9.74	8.8	89.0	
P2679-06	MBH675	6	1.19	8.58	9.77	8.89	89.7	
P2679-07	MBH676	7	1.16	8.40	9.56	8.73	90.1	
P2679-08	MBH677	8	1.18	8.46	9.64	7.64	76.4	
P2679-09	MBH678	9	1.19	8.53	9.72	8.14	81.5	
P2679-10	MBH679	10	1.16	8.65	9.81	8.73	87.5	
P2679-11	MBH680	11	1.18	8.75	9.93	8.93	88.6	
P2679-12	MBH681	12	1.17	8.49	9.66	8.73	89.0	
P2679-13	MBH682	13	1.16	8.59	9.75	7.99	79.5	
P2679-14	MBH683	14	1.12	8.80	9.92	8.39	82.6	
P2679-15	MBH684	15	1.13	8.54	9.67	8.48	86.1	
P2679-16	MBH685	16	1.18	8.40	9.58	8.59	88.2	
P2679-17	MBH686	17	1.13	8.52	9.65	8.66	88.4	
P2679-18	MBH687	18	1.16	8.80	9.96	7.58	73.0	
P2679-19	MBH688	19	1.16	8.40	9.56	7.92	80.5	
P2679-20	MBH689	20	1.17	8.50	9.67	8.41	85.2	
P2679-21	MBH690	21	1.18	8.64	9.82	8.81	88.3	
P2679-22	MBH691	22	1.18	8.56	9.74	8.78	88.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$