

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB131038

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	P2662-01	WCS-TPR	1	100.05	0.00	06/03/2024	12:00
2	P2668-01	WC-TP-1	1	100.02	0.00	06/03/2024	12:07
3	P2668-05	WC-TP-2	1	100.06	0.00	06/03/2024	12:15
4	P2680-02	RBR2520258	1	100.03	0.00	06/03/2024	12:22
5	P2680-04	VNJ-241	1	100.02	0.00	06/03/2024	12:30
6	P2683-02	WC-4	1	100.04	0.00	06/03/2024	12:38
7	P2683-05	WC-5	1	100.02	0.00	06/03/2024	12:45
8	P2686-01	WCS-TPQ	1	100.04	0.00	06/03/2024	12:52
9	P2686-05	WCS-TPP	1	100.02	0.00	06/03/2024	13:00
10	P2687-01	VNJ-223	1	100.02	0.00	06/03/2024	13:07
11	P2687-04	72-11977	1	100.05	0.00	06/03/2024	13:15
12	P2687-07	72-11998	1	100.02	0.00	06/03/2024	13:22
13	P2687-07DUP	72-11998DUP	1	100.02	0.00	06/03/2024	13:30

6131038

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF-5-31 WorkList ID : 180702 Department : Wet-Chemistry Date : 05-31-2024 14:48:15

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2682-01	WCS-TPR	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/30/2024	9095B
P2688-01	WC-TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/30/2024	9095B
P2688-05	WC-TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/30/2024	9095B
P2680-02	RBR2520258	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/31/2024	9095B
P2680-04	VNJ-241	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/31/2024	9095B
P2683-02	WC-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/30/2024	9095B
P2683-05	WC-5	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/30/2024	9095B
P2686-01	WCS-TPQ	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/31/2024	9095B
P2686-05	WCS-TPP	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/31/2024	9095B
P2687-01	VNJ-223	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/31/2024	9095B
P2687-04	72-11977	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/31/2024	9095B
P2687-07	72-11998	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	05/31/2024	9095B

Date/Time 06/03/2024 11:50
 Raw Sample Received by: RMC
 Raw Sample Relinquished by: JAC

Date/Time 06/03/2024 13:45
 Raw Sample Received by: JAC
 Raw Sample Relinquished by: RMC