

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB131043

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	P2701-01	CON-PAD-1	1	100.04	0.00	06/04/2024	09:00
2	P2701-01DUP	CON-PAD-1DUP	1	100.04	0.00	06/04/2024	09:08
3	P2701-03	CON-PAD-2	1	100.02	0.00	06/04/2024	09:15
4	P2704-01	WCS-TPO	1	100.07	0.00	06/04/2024	09:22
5	P2704-05	WCS-TPU	1	100.02	0.00	06/04/2024	09:30
6	P2704-09	WCS-TPN	1	100.03	0.00	06/04/2024	09:38
7	P2705-01	330	1	100.06	0.00	06/04/2024	09:45

WORKLIST(Hardcopy Internal Chain)

LB131043

WorkList Name : PF-0603

WorkList ID : 180759

Department : Wet-Chemistry

Date : 06-03-2024 17:24:19

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2701-01	CON-PAD-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	06/03/2024	9095B
P2701-03	CON-PAD-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	06/03/2024	9095B
P2704-01	WCS-TPO	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	06/03/2024	9095B
P2704-05	WCS-TPU	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	06/03/2024	9095B
P2704-09	WCS-TPN	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	06/03/2024	9095B
P2705-01	330	Solid	Paint Filter	Cool 4 deg C	PSEG03	K21	06/03/2024	9095B

Date/Time 06/06/2024 08:50
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: AGC 1

Date/Time 06/06/2024 10:00
 Raw Sample Received by: AGC
 Raw Sample Relinquished by: RM CWC