

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB131076

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P2712-01	EO-01-060424	1	100.04	0.00	06/05/2024	13:20
2	P2712-01DUP	EO-01-060424DUP	1	100.05	0.00	06/05/2024	13:28
3	P2715-01	WCS-TPC	1	100.02	0.00	06/05/2024	13:35
4	P2715-05	WCS-TPM	1	100.06	0.00	06/05/2024	13:42
5	P2740-01	WCS-TPA	1	100.06	0.00	06/05/2024	13:50
6	P2740-05	WCS-TPB	1	100.02	0.00	06/05/2024	13:58

WORKLIST(Hardcopy Internal Chain)

6131076

WorkList Name : PF-6-5+

WorkList ID : 180820

Department : Wet-Chemistry

Date : 06-05-2024 10:19:59

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2712-01	EO-01-060424	Solid	Paint Filter	Cool 4 deg C	PSEG05	K21	06/04/2024	9095B
P2715-01	WCS-TPC	Solid	Paint Filter	Cool 4 deg C	PSEG03	M11	06/04/2024	9095B
P2715-05	WCS-TPM	Solid	Paint Filter	Cool 4 deg C	PSEG03	M11	06/04/2024	9095B
P2740-01	WCS-TPA	Solid	Paint Filter	Cool 4 deg C	PSEG03	M12	06/05/2024	9095B
P2740-05	WCS-TPB	Solid	Paint Filter	Cool 4 deg C	PSEG03	M12	06/05/2024	9095B

Date/Time 06/05/2024 13.10
 Raw Sample Received by: RM CMC
 Raw Sample Relinquished by: RM CMC

Date/Time 06/05/2024 14.15
 Raw Sample Received by: RM CMC
 Raw Sample Relinquished by: RM CMC