

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/6/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 16:35
In Date: 06/05/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 06/06/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131077

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2725-01	MYD382	1	1.13	8.45	9.58	9.14	94.8	
P2725-02	MYD383	2	1.13	8.55	9.68	9.25	95.0	
P2725-03	MYD384	3	1.19	8.35	9.54	9.3	97.1	
P2725-04	MYD385	4	1.17	8.41	9.58	9.1	94.3	
P2725-05	MYD386	5	1.16	8.48	9.64	9.19	94.7	
P2725-06	MYD387	6	1.18	8.54	9.72	9.33	95.4	
P2725-07	MYD388	7	1.13	8.68	9.81	9.2	93.0	
P2725-08	MYD389	8	1.13	8.68	9.81	8.9	89.5	
P2725-09	MYD389D	9	1.13	8.68	9.81	8.9	89.5	
P2725-10	MYD389S	10	1.13	8.68	9.81	8.9	89.5	
P2725-11	MYD390	11	1.12	8.78	9.9	9.21	92.1	
P2725-12	MYD391	12	1.16	8.59	9.75	8.59	86.5	
P2725-13	MYD392	13	1.12	8.38	9.5	9.00	94.0	
P2725-14	MYD393	14	1.12	8.65	9.77	9.24	93.9	
P2725-15	MYD394	15	1.15	8.78	9.93	9.46	94.6	
P2725-16	MYD395	16	1.11	8.66	9.77	9.5	96.9	
P2725-17	MYD396	17	1.15	8.81	9.96	9.62	96.1	
P2725-18	MYD397	18	1.17	8.39	9.56	8.9	92.1	
P2725-19	MYD398	19	1.13	8.44	9.57	9.11	94.5	
P2725-20	MYD399	20	1.16	8.40	9.56	9.17	95.4	
P2725-21	MYD3A0	21	1.16	8.46	9.62	9.26	95.7	
P2725-22	MYD3A1	22	1.17	8.49	9.66	9.52	98.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$