

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/7/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:00
In Date: 06/06/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 06/07/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131095

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2696-01	A4BJ1	1	1.12	8.77	9.89	5.46	49.5	
P2696-02	A4BK4	2	1.14	8.79	9.93	9.21	91.8	
P2696-03	A4BK6	3	1.17	8.80	9.97	9.00	89.0	
P2696-04	A4BN1	4	1.17	8.80	9.97	5.98	54.7	
P2696-05	A4BN2	5	1.16	8.70	9.86	5.49	49.8	
P2696-06	A4BN4	6	1.13	8.74	9.87	3.96	32.4	
P2696-07	A4BN5	7	1.12	8.80	9.92	6.63	62.6	
P2696-08	A4BN7	8	1.15	8.76	9.91	5.12	45.3	
P2696-09	A4BN7MS	9	1.15	8.76	9.91	5.12	45.3	
P2696-10	A4BN7MSD	10	1.15	8.76	9.91	5.12	45.3	
P2696-11	A4BN8	11	1.15	8.48	9.63	4.96	44.9	
P2696-12	A4BN9	12	1.16	8.48	9.64	4.52	39.6	
P2696-14	A4DC9	13	1.00	1.00	2.00	2.00	100.0	E.B.
P2696-15	A4DD1	14	1.00	1.00	2.00	2.00	100.0	E.B.
P2696-16	A4DF9	15	1.00	1.00	2.00	2.00	100.0	P.E. SAMPLE
P2696-17	A4DG3	16	1.00	1.00	2.00	2.00	100.0	P.E. SAMPLE
P2696-18	VHBLK001	17	1.00	1.00	2.00	2.00	100.0	VHBLK
P2696-21	A4B90	18	1.18	8.60	9.78	5.98	55.8	
P2696-22	A4B91	19	1.17	8.80	9.97	6.61	61.8	
P2696-23	A4B92	20	1.12	8.44	9.56	7.49	75.5	
P2696-24	A4BM5	21	1.16	8.46	9.62	6.35	61.3	
P2696-25	A4BM6	22	1.15	8.59	9.74	6.49	62.2	
P2696-26	A4BP0	23	1.16	8.80	9.96	4.41	36.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$