

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB131106

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P2756-01	OR-02-06062024	1	100.04	0.00	06/07/2024	09:15
2	P2756-01DUP	OR-02-06062024DUP	1	100.03	0.00	06/07/2024	09:22
3	P2763-01	MH-SLUDGE	1	100.01	43.00	06/07/2024	09:30
4	P2769-01	JG001-JG007	1	100.06	0.00	06/07/2024	09:38

WORKLIST(Hardcopy Internal Chain)

LB131106

WorkList Name : PF-6-6

WorkList ID : 180874

Department : Wet-Chemistry

Date : 06-06-2024 16:10:31

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2756-01	OR-02-06062024	Solid	Paint Filter	Cool 4 deg C	PSEG05	M21	06/06/2024	9095B
P2763-01	MH-SLUDGE	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/06/2024	9095B
P2769-01	JG001-JG007	Solid	Paint Filter	Cool 4 deg C	XRDS01	N21	06/06/2024	9095B

Date/Time 06/07/2024 09.50
 Raw Sample Received by: RM CWG
 Raw Sample Relinquished by: JG001

Date/Time 06/07/2024 09.50
 Raw Sample Received by: JG001
 Raw Sample Relinquished by: RM CWG