

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/13/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 12:50
In Date: 06/12/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:33
Out Date: 06/13/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131188

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2817-01	MYD567	1	1.18	8.49	9.67	9.54	98.5	
P2817-02	MYD568	2	1.18	8.79	9.97	9.44	94.0	
P2817-03	MYD569	3	1.18	8.48	9.66	9.26	95.3	
P2817-04	MYD570	4	1.16	8.48	9.64	9.51	98.5	
P2817-05	MYD570D	5	1.16	8.48	9.64	9.51	98.5	
P2817-06	MYD570S	6	1.16	8.48	9.64	9.51	98.5	
P2817-07	MYD571	7	1.18	8.73	9.91	9.77	98.4	
P2817-08	MYD572	8	1.15	8.62	9.77	9.34	95.0	
P2817-09	MYD574	9	1.18	8.34	9.52	9.39	98.4	
P2817-10	MYD575	10	1.18	8.56	9.74	9.52	97.4	
P2817-11	MYD576	11	1.18	8.61	9.79	9.52	96.9	
P2817-12	MYD577	12	1.17	8.75	9.92	9.72	97.7	
P2817-13	MYD578	13	1.18	8.32	9.5	9.24	96.9	
P2817-14	MYD579	14	1.15	8.35	9.5	9.26	97.1	
P2817-15	MYD580	15	1.16	8.40	9.56	9.22	96.0	
P2817-16	MYD582	16	1.12	8.65	9.77	9.32	94.8	
P2817-17	MYD583	17	1.13	8.80	9.93	9.65	96.8	
P2817-18	MYD584	18	1.18	8.60	9.78	9.5	96.7	
P2817-19	MYD585	19	1.15	8.50	9.65	9.2	94.7	
P2817-20	MYD586	20	1.15	8.69	9.84	9.52	96.3	
P2817-21	MYD587	21	1.15	8.74	9.89	9.57	96.3	
P2817-22	MYD588	22	1.18	8.73	9.91	9.77	98.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$