

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/13/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:45
In Date: 06/12/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:47
Out Date: 06/13/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131191

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2820-01	MYD5D0	1	1.14	8.66	9.8	9.65	98.3	
P2820-02	MYD5D1	2	1.17	8.36	9.53	9.15	95.5	
P2820-03	MYD5D2	3	1.17	8.67	9.84	9.7	98.4	
P2820-04	MYD5D3	4	1.17	8.46	9.63	9.51	98.6	
P2820-05	MYD5D4	5	1.19	8.37	9.56	9.31	97.0	
P2820-06	MYD5D4D	6	1.19	8.37	9.56	9.31	97.0	
P2820-07	MYD5D4S	7	1.19	8.37	9.56	9.31	97.0	
P2820-08	MYD5D5	8	1.18	8.48	9.66	9.26	95.3	
P2820-09	MYD5D6	9	1.18	8.68	9.86	9.54	96.3	
P2820-10	MYD5D7	10	1.16	8.74	9.9	9.66	97.3	
P2820-11	MYD5D8	11	1.17	8.36	9.53	9.3	97.2	
P2820-12	MYD5D9	12	1.16	8.53	9.69	9.54	98.2	
P2820-13	MYD5E0	13	1.17	8.36	9.53	9.3	97.2	
P2820-14	MYD5E1	14	1.19	8.48	9.67	9.25	95.0	
P2820-15	MYD5E2	15	1.19	8.60	9.79	9.51	96.7	
P2820-16	MYD5E4	16	1.16	8.36	9.52	9.17	95.8	
P2820-17	MYD5E5	17	1.18	8.59	9.77	9.54	97.3	
P2820-18	MYD5E6	18	1.15	8.42	9.57	9.37	97.6	
P2820-19	MYD5E7	19	1.16	8.53	9.69	9.54	98.2	
P2820-20	MYD5E8	20	1.19	8.48	9.67	9.54	98.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$