

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/17/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 12:50
In Date: 06/14/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:30
Out Date: 06/15/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131234

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2874-01	EZW34	1	1.18	8.70	9.88	7.52	72.9	
P2874-02	EZW35	2	1.15	8.83	9.98	8.37	81.8	
P2874-03	EZW36	3	1.12	8.75	9.87	8.23	81.3	
P2874-04	EZW37	4	1.19	8.48	9.67	7.74	77.2	
P2874-05	EZW38	5	1.19	8.75	9.94	8.4	82.4	
P2874-06	EZW39	6	1.15	8.79	9.94	8.44	82.9	
P2874-07	EZW40	7	1.17	8.45	9.62	8.18	83.0	
P2874-08	EZW41	8	1.18	8.49	9.67	8.29	83.7	
P2874-09	EZW42	9	1.18	8.81	9.99	8.52	83.3	
P2874-10	EZW43	10	1.15	8.60	9.75	8.25	82.6	
P2874-11	EZW44	11	1.17	8.49	9.66	8.08	81.4	
P2874-12	EZW45	12	1.17	8.60	9.77	8.07	80.2	
P2874-13	EZW46	13	1.19	8.65	9.84	8.1	79.9	
P2874-14	EZW47	14	1.14	8.80	9.94	8.89	88.1	
P2874-15	EZW48	15	1.18	8.64	9.82	8.65	86.5	
P2874-16	EZW49	16	1.17	8.60	9.77	8.49	85.1	
P2874-17	EZW50	17	1.12	8.81	9.93	8.23	80.7	
P2874-18	EZW51	18	1.18	8.47	9.65	8.24	83.4	
P2874-19	EZW52	19	1.18	8.59	9.77	8.27	82.5	
P2874-20	EZW56	20	1.16	8.58	9.74	8.1	80.9	
P2874-21	EZW56D	21	1.16	8.58	9.74	8.1	80.9	
P2874-22	EZW56S	22	1.16	8.58	9.74	8.1	80.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$