

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/17/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:10
In Date: 06/14/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:37
Out Date: 06/15/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131235

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2875-01	EZW53	1	1.15	8.73	9.88	8.14	80.1	
P2875-02	EZW54	2	1.18	8.44	9.62	8.1	82.0	
P2875-03	EZW55	3	1.14	8.77	9.91	8.38	82.6	
P2875-04	EZW57	4	1.14	8.84	9.98	8.51	83.4	
P2875-05	EZW58	5	1.17	8.64	9.81	8.36	83.2	
P2875-06	EZW59	6	1.18	8.57	9.75	8.39	84.1	
P2875-07	EZW60	7	1.17	8.65	9.82	8.12	80.3	
P2875-08	EZW61	8	1.15	8.53	9.68	8.09	81.4	
P2875-09	EZW62	9	1.15	8.64	9.79	8.32	83.0	
P2875-10	EZW63	10	1.19	8.43	9.62	8.02	81.0	
P2875-11	EZW64	11	1.15	8.40	9.55	8.04	82.0	
P2875-12	EZW65	12	1.18	8.32	9.5	7.82	79.8	
P2875-13	EZW66	13	1.15	8.45	9.6	8.25	84.0	
P2875-14	EZW67	14	1.19	8.35	9.54	8.12	83.0	
P2875-15	EZW68	15	1.18	8.47	9.65	8.4	85.2	
P2875-16	EZW69	16	1.15	8.82	9.97	8.53	83.7	
P2875-17	EZW70	17	1.18	8.58	9.76	8.49	85.2	
P2875-18	EZW71	18	1.14	8.56	9.7	8.5	86.0	
P2875-19	EZW72	19	1.18	8.51	9.69	8.73	88.7	
P2875-20	EZW79	20	1.13	8.73	9.86	8.83	88.2	
P2875-21	EZW79D	21	1.13	8.73	9.86	8.83	88.2	
P2875-22	EZW79S	22	1.13	8.73	9.86	8.83	88.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$