

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/17/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:35
In Date: 06/14/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 06/15/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131236

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2876-01	EZW81	1	1.18	8.53	9.71	8.22	82.5	
P2876-02	EZW82	2	1.18	8.66	9.84	8.31	82.3	
P2876-03	EZW83	3	1.15	8.40	9.55	8.06	82.3	
P2876-04	EZW84	4	1.14	8.38	9.52	8.45	87.2	
P2876-05	EZW85	5	1.18	8.81	9.99	8.35	81.4	
P2876-06	EZW86	6	1.15	8.74	9.89	8.17	80.3	
P2876-07	EZW87	7	1.18	8.56	9.74	8.62	86.9	
P2876-08	EZW88	8	1.15	8.61	9.76	8.45	84.8	
P2876-09	EZW89	9	1.18	8.40	9.58	8.23	83.9	
P2876-10	EZW90	10	1.13	8.72	9.85	8.32	82.5	
P2876-11	EZW91	11	1.18	8.80	9.98	8.64	84.8	
P2876-12	EZW92	12	1.15	8.40	9.55	8.14	83.2	
P2876-13	EZW93	13	1.16	8.54	9.7	8.41	84.9	
P2876-14	EZW94	14	1.16	8.47	9.63	8.21	83.2	
P2876-15	EZW95	15	1.18	8.81	9.99	8.6	84.2	
P2876-16	EZW96	16	1.19	8.43	9.62	8.4	85.5	
P2876-17	EZW97	17	1.14	8.80	9.94	9.00	89.3	
P2876-18	EZW98	18	1.16	8.50	9.66	7.98	80.2	
P2876-19	EZW99	19	1.18	8.35	9.53	8.17	83.7	
P2876-20	EZWA2	20	1.13	8.49	9.62	8.34	84.9	
P2876-21	EZWA2D	21	1.13	8.49	9.62	8.34	84.9	
P2876-22	EZWA2S	22	1.13	8.49	9.62	8.34	84.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$