

## Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB131239

BalanceID: WC SC-4

| Seq | LabID       | ClientID          | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|-------------------|----------|-----------|------------------------|------------|-----------|
| 1   | P2858-01    | NB-07-06122024    | 1        | 100.04    | 0.00                   | 06/14/2024 | 08:00     |
| 2   | P2858-01DUP | NB-07-06122024DUP | 1        | 100.04    | 0.00                   | 06/14/2024 | 08:08     |
| 3   | P2859-01    | OK-02-06122024    | 1        | 100.07    | 0.00                   | 06/14/2024 | 08:15     |
| 4   | P2889-01    | WCS-TPJ           | 1        | 100.03    | 0.00                   | 06/14/2024 | 08:22     |

6131239.

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf-6-13

WorkList ID : 181044

Department : Wet-Chemistry

Date : 06-13-2024 10:54:21

| Sample   | Customer Sample | Matrix | Test         | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method |
|----------|-----------------|--------|--------------|--------------|----------|-----------------------------|--------------|--------|
| P2858-01 | NB-07-06122024  | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | M21                         | 06/12/2024   | 9095B  |
| P2859-01 | OK-02-06122024  | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | M31                         | 06/12/2024   | 9095B  |
| P2889-01 | WCS-TPJ         | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | M21                         | 06/13/2024   | 9095B  |

Date/Time 06/14/2024 07:50  
Raw Sample Received by: RM cws  
Raw Sample Relinquished by: 286021

Date/Time 06/14/2024 08:40  
Raw Sample Received by: 286021  
Raw Sample Relinquished by: RM cws