

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/18/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:30
In Date: 06/17/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:52
Out Date: 06/18/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131266

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2903-01	EZWK4	1	1.16	8.58	9.74	8.69	87.8	
P2903-02	EZWK5	2	1.19	8.60	9.79	8.71	87.4	
P2903-03	EZWK6	3	1.16	8.50	9.66	8.48	86.1	
P2903-04	EZWL1	4	1.15	8.50	9.65	8.5	86.5	
P2903-05	EZWL2	5	1.18	8.54	9.72	8.36	84.1	
P2903-06	EZWL3	6	1.16	8.72	9.88	8.32	82.1	
P2903-07	EZWL4	7	1.16	8.71	9.87	8.38	82.9	
P2903-08	EZWL5	8	1.19	8.63	9.82	8.34	82.9	
P2903-09	EZWL6	9	1.16	8.50	9.66	8.14	82.1	
P2903-10	EZWL7	10	1.15	8.83	9.98	8.49	83.1	
P2903-11	EZWL8	11	1.14	8.71	9.85	8.37	83.0	
P2903-12	EZWL9	12	1.15	8.40	9.55	8.06	82.3	
P2903-13	EZWM0	13	1.13	8.66	9.79	8.47	84.8	
P2903-14	EZWM1	14	1.16	8.82	9.98	8.8	86.6	
P2903-15	EZWM2	15	1.18	8.79	9.97	8.6	84.4	
P2903-16	EZWM3	16	1.19	8.59	9.78	8.18	81.4	
P2903-17	EZWM4	17	1.19	8.42	9.61	8.15	82.7	
P2903-18	EZWH2	18	1.16	8.47	9.63	8.11	82.1	
P2903-19	EZWH3	19	1.15	8.43	9.58	8.03	81.6	
P2903-20	EZX20	20	1.16	8.80	9.96	8.37	81.9	
P2903-21	EZX20D	21	1.16	8.80	9.96	8.37	81.9	
P2903-22	EZX20S	22	1.16	8.80	9.96	8.37	81.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$