

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB131285

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P2930-01	WCS-TPE	1	100.02	0.00	06/19/2024	15:10
2	P2940-01	SU-03-061824	1	100.06	0.00	06/19/2024	15:18
3	P2943-01	VNJ-212	1	100.05	0.00	06/19/2024	15:25
4	P2943-03	72-11978	1	100.02	0.00	06/19/2024	15:32
5	P2952-01	72-11944	1	100.02	0.00	06/19/2024	15:40
6	P2955-01	VK-1	1	100.07	0.00	06/19/2024	15:48
7	P2955-05	TP-1	1	100.04	0.00	06/19/2024	15:55
8	P2976-01	MH-K-COMP	1	100.02	0.00	06/19/2024	16:02
9	P2976-01DUP	MH-K-COMP DUP	1	100.02	0.00	06/19/2024	16:10

WORKLIST(Hardcopy Internal Chain)

66131285

WorkList Name : pf6-18 WorkList ID : 181162 Department : Wet-Chemistry Date : 06-18-2024 14:03:31

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2930-01	WCS-TPE	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/17/2024	9095B
P2940-01	SU-03-061824	Solid	Paint Filter	Cool 4 deg C	PSEG05	M31	06/18/2024	9095B
P2943-01	VNJ-212	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/18/2024	9095B
P2943-03	72-11978	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/18/2024	9095B
P2952-01	72-11944	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/18/2024	9095B
P2955-01	VK-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/18/2024	9095B
P2955-05	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/18/2024	9095B
P2976-01	MH-K-COMP	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/19/2024	9095B

Date/Time 06/19/2024 15:00
 Raw Sample Received by: RM CWG
 Raw Sample Relinquished by: RM CWG

Date/Time 06/19/2024 16:25
 Raw Sample Received by: RM CWG
 Raw Sample Relinquished by: RM CWG