

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/20/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 12:35
In Date: 06/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:25
Out Date: 06/20/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131294

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2905-01	EZWM5	1	1.18	8.78	9.96	8.39	82.1	
P2905-02	EZWM6	2	1.18	8.49	9.67	8.18	82.4	
P2905-03	EZWM7	3	1.15	8.62	9.77	8.3	82.9	
P2905-04	EZWM8	4	1.15	8.40	9.55	8.06	82.3	
P2905-05	EZWM9	5	1.14	8.79	9.93	8.37	82.3	
P2905-06	EZWN0	6	1.18	8.43	9.61	8.27	84.1	
P2905-07	EZWN1	7	1.15	8.50	9.65	8.05	81.2	
P2905-08	EZWN2	8	1.18	8.55	9.73	8.28	83.0	
P2905-09	EZWN3	9	1.16	8.51	9.67	8.03	80.7	
P2905-10	EZWN3D	10	1.16	8.51	9.67	8.03	80.7	
P2905-11	EZWN3S	11	1.16	8.51	9.67	8.03	80.7	
P2905-12	EZWN4	12	1.19	8.74	9.93	8.88	88.0	
P2905-13	EZWN5	13	1.14	8.58	9.72	8.36	84.1	
P2905-14	EZWN6	14	1.13	8.64	9.77	8.22	82.1	
P2905-15	EZWN7	15	1.15	8.80	9.95	8.94	88.5	
P2905-16	EZWN8	16	1.15	8.80	9.95	8.64	85.1	
P2905-17	EZWN9	17	1.15	8.82	9.97	9.00	89.0	
P2905-18	EZWP0	18	1.18	8.46	9.64	8.55	87.1	
P2905-19	EZWP1	19	1.18	8.57	9.75	8.68	87.5	
P2905-20	EZX21	20	1.18	8.38	9.56	7.95	80.8	
P2905-21	EZX22	21	1.18	8.63	9.81	8.1	80.2	
P2905-22	EZX23	22	1.13	8.60	9.73	8.23	82.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$