

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/20/2024

OVENTEMP IN Celsius(°C): 108
Time IN: 14:15
In Date: 06/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:44
Out Date: 06/20/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131300

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2913-01	EZWT6	1	1.16	8.78	9.94	8.23	80.5	
P2913-02	EZWT7	2	1.14	8.56	9.7	8.27	83.3	
P2913-03	EZWT8	3	1.17	8.55	9.72	8.41	84.7	
P2913-04	EZWT9	4	1.17	8.75	9.92	9.00	89.5	
P2913-05	EZWW0	5	1.15	8.40	9.55	8.84	91.5	
P2913-06	EZWW1	6	1.18	8.49	9.67	8.51	86.3	
P2913-07	EZWW2	7	1.15	8.59	9.74	8.34	83.7	
P2913-08	EZWW3	8	1.12	8.41	9.53	8.86	92.0	
P2913-09	EZWW4	9	1.11	8.46	9.57	8.32	85.2	
P2913-10	EZWW5	10	1.17	8.54	9.71	8.31	83.6	
P2913-11	EZWW6	11	1.12	8.55	9.67	7.89	79.2	
P2913-12	EZWW7	12	1.13	8.57	9.7	7.94	79.5	
P2913-13	EZWW8	13	1.14	8.59	9.73	8.09	80.9	
P2913-14	EZWW9	14	1.14	8.50	9.64	7.97	80.4	
P2913-15	EZX0	15	1.14	8.85	9.99	8.44	82.5	
P2913-16	EZX05	16	1.15	8.55	9.7	8.26	83.2	
P2913-17	EZX06	17	1.13	8.45	9.58	7.9	80.1	
P2913-18	EZX07	18	1.14	8.59	9.73	8.22	82.4	
P2913-19	EZX29	19	1.14	8.62	9.76	8.45	84.8	
P2913-20	EZX42	20	1.13	8.58	9.71	8.6	87.1	
P2913-21	EZX42D	21	1.13	8.58	9.71	8.6	87.1	
P2913-22	EZX42S	22	1.13	8.58	9.71	8.6	87.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$