

Analysis Method: 9034
 Parameter: Reactive Sulfide
 Run Number: LB131305

ANALYST: Rubina
 SUPERVISOR REVIEW BY: Iwona
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W3105
IODINE SOLUTION .025N 1L	W3050
Starch Solution, 4L	W2977

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB161552BL		1	5.00	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	06/19/2024	13:15
2	P2926-01		1	5.03	50	2.00	0.00	1.90	1.90	0.10	0.02	1.59	06/19/2024	13:18
3	P2930-04		1	5.03	50	2.00	0.00	1.90	1.90	0.10	0.02	1.59	06/19/2024	13:20
4	P2930-04DUP		1	5.06	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	06/19/2024	13:22
5	P2938-01		1	5.03	50	2.00	0.00	1.88	1.88	0.12	0.04	3.18	06/19/2024	13:25
6	P2938-02		1	5.05	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	06/19/2024	13:28
7	P2938-03		1	5.03	50	2.00	0.00	1.86	1.86	0.14	0.06	4.77	06/19/2024	13:30
8	P2953-01		1	5.07	50	2.00	0.00	1.86	1.86	0.14	0.06	4.73	06/19/2024	13:33
9	P2953-02		1	5.05	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	06/19/2024	13:35
10	P2953-03		1	5.06	50	2.00	0.00	1.84	1.84	0.16	0.08	6.32	06/19/2024	13:38
11	P2955-04		1	5.02	50	2.00	0.00	1.88	1.88	0.12	0.04	3.19	06/19/2024	13:40
12	P2955-08		1	5.06	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	06/19/2024	13:43

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume