

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/20/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:25
In Date: 06/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 06/20/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB131307

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2934-01	A4B58	1	1.14	8.74	9.88	7.67	74.7	
P2934-02	A4B59	2	1.15	8.83	9.98	8.55	83.8	
P2934-03	A4B61	3	1.13	8.48	9.61	7.52	75.4	
P2934-04	A4B62	4	1.14	8.63	9.77	7.11	69.2	
P2934-05	A4B72	5	1.16	8.47	9.63	9.24	95.4	
P2934-06	A4B72MS	6	1.16	8.47	9.63	9.24	95.4	
P2934-07	A4B72MSD	7	1.16	8.47	9.63	9.24	95.4	
P2934-08	A4CP4	8	1.14	8.85	9.99	6.54	61.0	
P2934-09	A4CP5	9	1.15	8.60	9.75	5.22	47.3	
P2934-10	A4CP6	10	1.12	8.42	9.54	5.99	57.8	
P2934-11	A4CP7	11	1.14	8.83	9.97	4.3	35.8	
P2934-12	A4CP8	12	1.15	8.79	9.94	5.49	49.4	
P2934-13	A4CP9	13	1.18	8.79	9.97	6.96	65.8	
P2934-14	A4CQ0	14	1.13	8.63	9.76	6.66	64.1	
P2934-15	A4CQ1	15	1.12	8.50	9.62	6.72	65.9	
P2934-16	A4CQ2	16	1.16	8.50	9.66	7.2	71.1	
P2934-17	A4CQ3	17	1.12	8.77	9.89	5.5	49.9	
P2934-18	A4CQ4	18	1.15	8.82	9.97	5.93	54.2	
P2934-19	A4DD9	19	1.00	1.00	2.00	2.00	100.0	E.B.
P2934-20	A4B56	20	1.18	8.66	9.84	6.68	63.5	
P2934-21	A4B57	21	1.14	8.82	9.96	6.23	57.7	
P2934-22	A4B73	22	1.15	8.84	9.99	4.75	40.7	
P2934-23	A4DJ4	23	1.00	1.00	2.00	2.00	100.0	P.E. SAMPLE
P2934-24	A4DK5	24	1.00	1.00	2.00	2.00	100.0	P.E. SAMPLE
P2934-25	A4DN5	25	1.00	1.00	2.00	2.00	100.0	P.E. SAMPLE
P2934-26	VHBLK001	26	1.00	1.00	2.00	2.00	100.0	VHBLK

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$