

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/20/2024

OVENTEMP IN Celsius(°C): 108
Time IN: 14:25
In Date: 06/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:48
Out Date: 06/20/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131308

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2914-01	EZX08	1	1.18	8.52	9.7	8.36	84.3	
P2914-02	EZX09	2	1.18	8.73	9.91	8.36	82.2	
P2914-03	EZX10	3	1.15	8.74	9.89	8.44	83.4	
P2914-04	EZX11	4	1.11	8.86	9.97	8.54	83.9	
P2914-05	EZX12	5	1.16	8.47	9.63	8.46	86.2	
P2914-06	EZX13	6	1.18	8.50	9.68	8.46	85.6	
P2914-07	EZX14	7	1.14	8.52	9.66	8.56	87.1	
P2914-08	EZX15	8	1.18	8.50	9.68	8.36	84.5	
P2914-09	EZX16	9	1.15	8.84	9.99	8.31	81.0	
P2914-10	EZX17	10	1.18	8.50	9.68	8.18	82.4	
P2914-11	EZX18	11	1.18	8.48	9.66	7.84	78.5	
P2914-12	EZX19	12	1.14	8.64	9.78	7.87	77.9	
P2914-13	EZX30	13	1.14	8.83	9.97	8.95	88.4	
P2914-14	EZX33	14	1.12	8.65	9.77	8.24	82.3	
P2914-15	EZX34	15	1.16	8.55	9.71	8.12	81.4	
P2914-16	EZX35	16	1.19	8.38	9.57	8.34	85.3	
P2914-17	EZX36	17	1.17	8.46	9.63	8.1	81.9	
P2914-18	EZX37	18	1.17	8.64	9.81	8.37	83.3	
P2914-19	EZX38	19	1.15	8.44	9.59	8.48	86.8	
P2914-20	EZX39	20	1.11	8.58	9.69	8.41	85.1	
P2914-21	EZX39D	21	1.11	8.58	9.69	8.41	85.1	
P2914-22	EZX39S	22	1.11	8.58	9.69	8.41	85.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$