

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/20/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:50
In Date: 06/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:49
Out Date: 06/20/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131309

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2939-01	EZX40	1	1.18	8.53	9.71	8.31	83.6	
P2939-02	EZX41	2	1.14	8.49	9.63	8.25	83.7	
P2939-03	EZX43	3	1.15	8.43	9.58	8.07	82.1	
P2939-04	EZX44	4	1.16	8.50	9.66	7.99	80.4	
P2939-05	EZX45	5	1.13	8.61	9.74	8.46	85.1	
P2939-06	EZX46	6	1.13	8.68	9.81	8.4	83.8	
P2939-07	EZX47	7	1.18	8.51	9.69	8.15	81.9	
P2939-08	EZX48	8	1.15	8.38	9.53	8.13	83.3	
P2939-09	EZX49	9	1.15	8.43	9.58	8.25	84.2	
P2939-10	EZX50	10	1.14	8.36	9.5	8.06	82.8	
P2939-11	EZX51	11	1.13	8.60	9.73	7.9	78.7	
P2939-12	EZX52	12	1.19	8.52	9.71	8.04	80.4	
P2939-13	EZX53	13	1.15	8.81	9.96	8.21	80.1	
P2939-14	EZX54	14	1.18	8.81	9.99	8.58	84.0	
P2939-15	EZX55	15	1.16	8.61	9.77	7.86	77.8	
P2939-16	EZX56	16	1.16	8.37	9.53	7.86	80.0	
P2939-17	EZX57	17	1.19	8.80	9.99	8.47	82.7	
P2939-18	EZX58	18	1.18	8.40	9.58	8.6	88.3	
P2939-19	EZX59	19	1.17	8.62	9.79	8.72	87.6	
P2939-20	EZX60	20	1.18	8.63	9.81	8.77	87.9	
P2939-21	EZX60D	21	1.18	8.63	9.81	8.77	87.9	
P2939-22	EZX60S	22	1.18	8.63	9.81	8.77	87.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$