

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/21/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:25
In Date: 06/20/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:34
Out Date: 06/21/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131327

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2945-01	EZX92	1	1.18	8.66	9.84	8.68	86.6	
P2945-02	EZX93	2	1.18	8.43	9.61	8.22	83.5	
P2945-03	EZX94	3	1.18	8.75	9.93	8.27	81.0	
P2945-04	EZX95	4	1.11	8.57	9.68	8.19	82.6	
P2945-05	EZX96	5	1.15	8.81	9.96	8.5	83.4	
P2945-06	EZX97	6	1.15	8.78	9.93	8.63	85.2	
P2945-07	EZX98	7	1.18	8.44	9.62	7.89	79.5	
P2945-08	EZX99	8	1.14	8.83	9.97	8.57	84.1	
P2945-09	EZXA0	9	1.18	8.50	9.68	8.82	89.9	
P2945-10	EZXA1	10	1.19	8.66	9.85	8.77	87.5	
P2945-11	EZXA2	11	1.15	8.43	9.58	8.65	89.0	
P2945-12	EZXA3	12	1.19	8.71	9.9	8.93	88.9	
P2945-13	EZXA4	13	1.18	8.46	9.64	8.06	81.3	
P2945-14	EZXB9	14	1.12	8.56	9.68	8.32	84.1	
P2945-15	EZXC0	15	1.18	8.57	9.75	8.45	84.8	
P2945-16	EZXC1	16	1.16	8.58	9.74	8.38	84.1	
P2945-17	EZXC2	17	1.16	8.76	9.92	8.52	84.0	
P2945-18	EZXC3	18	1.15	8.84	9.99	8.98	88.6	
P2945-19	EZXC4	19	1.15	8.83	9.98	8.95	88.3	
P2945-20	EZXC5	20	1.15	8.38	9.53	8.39	86.4	
P2945-21	EZXC5D	21	1.15	8.38	9.53	8.39	86.4	
P2945-22	EZXC5S	22	1.15	8.38	9.53	8.39	86.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$