

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/24/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:25
In Date: 06/21/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:47
Out Date: 06/22/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131346

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2969-01	EZWY0	1	1.14	8.42	9.56	8.46	86.9	
P2969-02	EZWY1	2	1.15	8.69	9.84	8.58	85.5	
P2969-03	EZWY1D	3	1.15	8.69	9.84	8.58	85.5	
P2969-04	EZWY1S	4	1.15	8.69	9.84	8.58	85.5	
P2969-05	EZWY2	5	1.13	8.38	9.51	8.18	84.1	
P2969-06	EZWY3	6	1.12	8.65	9.77	8.6	86.5	
P2969-07	EZWY4	7	1.14	8.43	9.57	8.14	83.0	
P2969-08	EZWY5	8	1.11	8.52	9.63	8.27	84.0	
P2969-09	EZWY6	9	1.13	8.46	9.59	8.24	84.0	
P2969-10	EZWY7	10	1.12	8.61	9.73	8.24	82.7	
P2969-11	EZWY8	11	1.13	8.55	9.68	8.03	80.7	
P2969-12	EZWY9	12	1.12	8.71	9.83	8.32	82.7	
P2969-13	EZWZ0	13	1.12	8.72	9.84	8.14	80.5	
P2969-14	EZWZ1	14	1.12	8.72	9.84	8.09	79.9	
P2969-15	EZWZ2	15	1.09	8.71	9.8	8.43	84.3	
P2969-16	EZWZ3	16	1.06	8.51	9.57	8.4	86.3	
P2969-17	E10S4	17	1.09	8.75	9.84	8.42	83.8	
P2969-18	E10S5	18	1.08	8.59	9.67	8.29	83.9	
P2969-19	E10S6	19	1.08	8.62	9.7	8.31	83.9	
P2969-20	E10S7	20	1.08	8.77	9.85	8.49	84.5	
P2969-21	E10S8	21	1.08	8.48	9.56	8.24	84.4	
P2969-22	E10S9	22	1.09	8.65	9.74	8.41	84.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$