

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB131356

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P2995-01	HR-02-06202024	1	100.06	0.00	06/21/2024	13:20
2	P2995-01DUP	HR-02-06202024DUP	1	100.06	0.00	06/21/2024	13:27
3	P2997-01	TR-06-062024	1	100.04	0.00	06/21/2024	13:35
4	P2998-01	WCS-TPL	1	100.02	0.00	06/21/2024	13:42
5	P3008-01	WC-WS-6-21-24	1	100.07	0.00	06/21/2024	13:50
6	P3009-01	VNJ-204	1	100.04	0.00	06/21/2024	13:57

WORKLIST(Hardcopy Internal Chain)

6131356

WorkList Name : PF6-20

WorkList ID : 181255

Department : Wet-Chemistry

Date : 06-20-2024 15:41:04

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2998-01	WCS-TPL	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/20/2024	9095B
P3008-01	WC-WS-6-21-24	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/21/2024	9095B
P3009-01	VNJ-204	Solid	Paint Filter	Cool 4 deg C	PSEG03	M31	06/21/2024	9095B
P2995-01	HR-02-06202024	Solid	Paint Filter	Cool 4 deg C	PSEG05	M21	06/20/2024	9095B
P2997-01	TR-06-062024	Solid	Paint Filter	Cool 4 deg C	PSEG05	M21	06/20/2024	9095B

Date/Time 06/21/2024 13:10
 Raw Sample Received by: RM
 Raw Sample Relinquished by: JF(CO)

Date/Time 06/21/2024 14:10
 Raw Sample Received by: JF(CO)
 Raw Sample Relinquished by: RM(CO)