

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB131388

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P3021-01	ARS20-008	1	100.06	0.00	06/24/2024	13:00
2	P3021-01DUP	ARS20-008DUP	1	100.05	0.00	06/24/2024	13:08
3	P3021-04	ARS20-0018	1	100.04	0.00	06/24/2024	13:15
4	P3021-07	ARS20-006	1	100.06	0.00	06/24/2024	13:22
5	P3021-10	ARS20-0015	1	100.03	0.00	06/24/2024	13:30

WORKLIST(Hardcopy Internal Chain)

6131388

WorkList Name : pf-6-24

WorkList ID : 181332

Department : Wet-Chemistry

Date : 06-24-2024 08:29:40

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P3021-01	ARS20-008	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/21/2024	9095B
P3021-04	ARS20-0018	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/21/2024	9095B
P3021-07	ARS20-006	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/21/2024	9095B
P3021-10	ARS20-0015	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/21/2024	9095B

Date/Time 06/24/2024 12:50
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: M Sully

Date/Time 06/24/2024 13:45
 Raw Sample Received by: M Sully
 Raw Sample Relinquished by: RM CWC