

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/27/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 06/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:40
Out Date: 06/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131405

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P3010-01	A4CG2	1	1.15	8.38	9.53	9.11	95.0	
P3010-02	A4CG2MS	2	1.15	8.38	9.53	9.11	95.0	
P3010-03	A4CG2MSD	3	1.15	8.38	9.53	9.11	95.0	
P3010-04	A4DP7	4	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P3010-05	VHBLK001	5	1.00	1.00	2.00	2.00	100.0	vhblk
P3010-06	A4CW0	6	1.18	8.45	9.63	6.02	57.3	
P3010-07	A4CW1	7	1.15	8.83	9.98	8.12	78.9	
P3010-08	A4CW3	8	1.18	8.47	9.65	9.18	94.5	
P3010-09	A4CW4	9	1.12	8.77	9.89	8.59	85.2	
P3010-10	A4CW6	10	1.15	8.39	9.54	8.56	88.3	
P3010-11	A4DE8	11	1.00	1.00	2.00	2.00	100.0	E.B.
P3010-12	A4B65	12	1.18	8.57	9.75	7.37	72.2	
P3010-13	A4B66	13	1.17	8.80	9.97	8.35	81.6	
P3010-14	A4B67	14	1.16	8.78	9.94	8.42	82.7	
P3010-15	A4B68	15	1.16	8.81	9.97	6.95	65.7	
P3010-16	A4B69	16	1.14	8.53	9.67	6.53	63.2	
P3010-17	A4B98	17	1.14	8.76	9.9	8.17	80.3	
P3010-18	A4BB3	18	1.18	8.81	9.99	8.00	77.4	
P3010-19	A4BB4	19	1.19	8.53	9.72	8.44	85.0	
P3010-20	A4BB5	20	1.12	8.75	9.87	9.05	90.6	
P3010-21	A4BD0	21	1.15	8.84	9.99	6.68	62.6	
P3010-22	A4CG4	22	1.16	8.50	9.66	8.5	86.4	
P3010-23	A4CG5	23	1.19	8.58	9.77	8.44	84.5	
P3010-24	A4CW5	24	1.15	8.81	9.96	7.27	69.5	
P3010-25	A4DJ9	25	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P3010-26	A4DJ2	26	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$