



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB131415

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P3047-01	EO-01-062424	1	100.04	0.00	06/26/2024	09:30
2	P3047-01DUP	EO-01-062424DUP	1	100.04	0.00	06/26/2024	09:38
3	P3049-01	SHOP-RAG-DRUM	1	100.06	0.00	06/26/2024	09:45

WORKLIST(Hardcopy Internal Chain)

6131415

WorkList Name : PF6-25

WorkList ID : 181363

Department : Wet-Chemistry

Date : 06-25-2024 07:54:35

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P3049-01	SHOP-RAG-DRUM	Solid	Paint Filter	Cool 4 deg C	PSEG03	M21	06/24/2024	9095B
P3047-01	EO-01-062424	Solid	Paint Filter	Cool 4 deg C	PSEG05	M21	06/24/2024	9095B

Date/Time 06/26/2024 09:20
 Raw Sample Received by: RTH CWC
 Raw Sample Relinquished by: RTH CWC

Date/Time 06/26/2024 10:06
 Raw Sample Received by: RTH CWC
 Raw Sample Relinquished by: RTH CWC