

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 7/2/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:50
In Date: 07/01/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 07/02/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB131465

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P3066-01	MA4CX6	1	1.17	8.55	9.72	6.00	56.5	
P3066-02	MA4CX6D	2	1.17	8.55	9.72	6.00	56.5	
P3066-03	MA4CX6S	3	1.17	8.55	9.72	6.00	56.5	
P3066-04	MA4CX8	4	1.12	8.80	9.92	8.28	81.4	
P3066-05	MA4CB1	5	1.18	8.74	9.92	5.72	51.9	
P3066-06	MA4CB4	6	1.15	8.81	9.96	7.3	69.8	
P3066-07	MA4CB5	7	1.18	8.72	9.9	8.46	83.5	
P3066-08	MA4CC1	8	1.15	8.82	9.97	5.93	54.2	
P3066-09	MA4CE6	9	1.16	8.81	9.97	8.87	87.5	
P3066-10	MA4CE9	10	1.15	8.84	9.99	8.51	83.3	
P3066-11	MA4CZ3	11	1.13	8.51	9.64	7.61	76.1	
P3066-12	MA4CZ4	12	1.12	8.76	9.88	8.33	82.3	
P3066-13	MA4CY3	13	1.13	8.66	9.79	5.69	52.7	
P3066-14	MA4CY4	14	1.14	8.85	9.99	6.13	56.4	
P3066-15	MA4CY5	15	1.12	8.85	9.97	6.23	57.7	
P3066-16	MA4CY9	16	1.15	8.46	9.61	5.7	53.8	
P3066-17	MA4CZ0	17	1.17	8.55	9.72	6.06	57.2	
P3066-18	MA4CZ5	18	1.17	8.54	9.71	8.54	86.3	
P3066-19	MA4CZ6	19	1.16	8.65	9.81	8.55	85.4	
P3066-20	MA4D09	20	1.13	8.55	9.68	8.49	86.1	
P3066-21	MA4D12	21	1.11	8.41	9.52	7.05	70.6	
P3066-22	MA4D75	22	1.00	1.00	2.00	2.00	100.0	P.E. SAMPLE

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$