

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 7/12/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:15
In Date: 07/11/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:55
Out Date: 07/12/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131581

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P3177-01	A4BR9	1	1.17	8.60	9.77	5.68	52.4	
P3177-02	A4BS0	2	1.17	8.57	9.74	4.39	37.6	
P3177-03	A4BS1	3	1.15	8.84	9.99	5.77	52.3	
P3177-04	A4BS2	4	1.15	8.81	9.96	7.01	66.5	
P3177-05	A4BS3	5	1.12	8.76	9.88	5.12	45.7	
P3177-06	A4BS4	6	1.16	8.69	9.85	6.85	65.5	
P3177-07	A4BS5	7	1.18	8.78	9.96	5.4	48.1	
P3177-08	A4BS6	8	1.15	8.77	9.92	6.79	64.3	
P3177-09	A4BS7	9	1.18	8.34	9.52	4.57	40.6	
P3177-10	A4BX3	10	1.16	8.48	9.64	5.95	56.5	
P3177-11	A4BX4	11	1.13	8.72	9.85	5.64	51.7	
P3177-12	A4BX5	12	1.15	8.81	9.96	8.06	78.4	
P3177-13	A4BX6	13	1.16	8.81	9.97	8.11	78.9	
P3177-14	A4BX8	14	1.19	8.72	9.91	8.29	81.4	
P3177-15	A4BY1	15	1.17	8.60	9.77	5.78	53.6	
P3177-16	A4BY2	16	1.15	8.52	9.67	6.68	64.9	
P3177-17	A4BY3	17	1.16	8.57	9.73	8.09	80.9	
P3177-18	A4BY6	18	1.16	8.82	9.98	6.09	55.9	
P3177-19	A4DC0	19	1.00	1.00	2.00	2.00	100.0	FB
P3177-20	A4DH2	20	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P3177-21	A4DN2	21	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P3177-22	A4DQ2	22	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P3177-23	VHBLK001	23	1.00	1.00	2.00	2.00	100.0	vhblk
P3177-24	A4BS2MS	24	1.15	8.81	9.96	7.01	66.5	
P3177-25	A4BS2MSD	25	1.15	8.81	9.96	7.01	66.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$