



PERCENT SOLID

Supervisor: jignesh
Analyst: Iwona
Date: 7/26/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:15
In Date: 07/11/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:55
Out Date: 07/12/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB131582

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P3179-01	MA4BR9	1	1.17	8.60	9.77	5.68	52.4	
P3179-02	MA4BS1	2	1.15	8.84	9.99	5.77	52.3	
P3179-03	MA4BS2	3	1.15	8.81	9.96	7.01	66.5	
P3179-04	MA4BX3	4	1.16	8.48	9.64	5.95	56.5	
P3179-05	MA4BX4	5	1.13	8.72	9.85	5.64	51.7	
P3179-06	MA4BX5	6	1.15	8.81	9.96	8.06	78.4	
P3179-07	MA4BY1	7	1.17	8.60	9.77	5.78	53.6	
P3179-08	MA4BY6	8	1.16	8.82	9.98	6.09	55.9	
P3179-09	MA4BS0	9	1.17	8.57	9.74	4.39	37.6	
P3179-10	MA4BS3	10	1.12	8.76	9.88	5.12	45.7	
P3179-11	MA4BS7	11	1.18	8.34	9.52	4.57	40.6	
P3179-12	MA4BX6	12	1.16	8.81	9.97	8.11	78.9	
P3179-13	MA4BX8	13	1.19	8.72	9.91	8.29	81.4	
P3179-14	MA4BX9	14	1.13	8.64	9.77	8.27	82.6	
P3179-15	MA4BY2	15	1.15	8.52	9.67	6.68	64.9	
P3179-16	MA4BY3	16	1.16	8.57	9.73	8.09	80.9	
P3179-17	MA4BS4	17	1.16	8.69	9.85	6.85	65.5	
P3179-18	MA4BS5	18	1.18	8.78	9.96	5.4	48.1	
P3179-19	MA4BS6	19	1.15	8.77	9.92	6.79	64.3	
P3179-20	MA4BS2D	20	1.15	8.81	9.96	7.01	66.5	
P3179-21	MA4BS2S	21	1.15	8.81	9.96	7.01	66.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$