

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB131585

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P3207-01	CHRT-26899	1	100.04	0.00	07/11/2024	15:30
2	P3207-01DUP	CHRT-26899DUP	1	100.04	0.00	07/11/2024	15:38
3	P3207-03	RBR2520700	1	100.02	0.00	07/11/2024	15:45
4	P3207-05	CHRT-24849	1	100.06	0.00	07/11/2024	15:52
5	P3207-07	RT-2929	1	100.02	0.00	07/11/2024	16:00
6	P3208-01	352	1	100.02	0.00	07/11/2024	16:08
7	P3208-03	VNJ-207	1	100.07	0.00	07/11/2024	16:15
8	P3208-05	CONC-PADS	1	100.03	0.00	07/11/2024	16:22
9	P3211-01	TR-04-07102024	1	100.02	0.00	07/11/2024	16:30
10	P3211-03	TR-05-07102024	1	100.02	0.00	07/11/2024	16:37

WORKLIST(Hardcopy Internal Chain)

6131585

WorkList Name : pf-7-11

WorkList ID : 181761

Department : Wet-Chemistry

Date : 07-11-2024 07:48:16

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P3207-01	CHRT-26899	Solid	Paint Filter	Cool 4 deg C	PSEG03	C21	07/10/2024	9095B
P3207-03	RBR2520700	Solid	Paint Filter	Cool 4 deg C	PSEG03	C21	07/10/2024	9095B
P3207-05	CHRT-24849	Solid	Paint Filter	Cool 4 deg C	PSEG03	C21	07/10/2024	9095B
P3207-07	RT-2929	Solid	Paint Filter	Cool 4 deg C	PSEG03	C21	07/10/2024	9095B
P3208-01	352	Solid	Paint Filter	Cool 4 deg C	PSEG03	C21	07/10/2024	9095B
P3208-03	VNJ-207	Solid	Paint Filter	Cool 4 deg C	PSEG03	C21	07/10/2024	9095B
P3208-05	CONC-PADS	Solid	Paint Filter	Cool 4 deg C	PSEG03	C21	07/10/2024	9095B
P3211-01	TR-04-07102024	Solid	Paint Filter	Cool 4 deg C	PSEG05	C21	07/10/2024	9095B
P3211-03	TR-05-07102024	Solid	Paint Filter	Cool 4 deg C	PSEG05	C21	07/10/2024	9095B

Date/Time 07/11/2024 15:20
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: RM CWC

Date/Time 07/11/2024 16:50
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: RM CWC