

PERCENT SOLID

Supervisor: Iwona
Analyst: Niha
Date: 7/16/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:10
In Date: 07/15/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN #1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 07/16/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131624

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P3215-01	A4BD3	1	1.14	8.47	9.61	8.64	88.5	
P3215-02	A4BD4	2	1.16	8.71	9.87	8.82	87.9	
P3215-03	A4C00	3	1.14	8.45	9.59	7.67	77.3	
P3215-04	A4C02	4	1.16	8.74	9.9	8.74	86.7	
P3215-05	A4C08	5	1.12	8.62	9.74	8.8	89.1	
P3215-06	A4C09	6	1.16	8.43	9.59	8.43	86.2	
P3215-07	A4C12	7	1.16	8.62	9.78	8.91	89.9	
P3215-08	A4D23	8	1.19	8.52	9.71	3.85	31.2	
P3215-09	A4D23MS	9	1.19	8.52	9.71	3.85	31.2	
P3215-10	A4D23MSD	10	1.19	8.52	9.71	3.85	31.2	
P3215-11	A4D24	11	1.15	8.38	9.53	4.28	37.4	
P3215-12	A4D25	12	1.18	8.63	9.81	4.45	37.9	
P3215-13	A4D26	13	1.17	8.56	9.73	9.26	94.5	
P3215-14	A4D31	14	1.17	8.38	9.55	8.77	90.7	
P3215-15	A4D43	15	1.19	8.55	9.74	7.65	75.6	
P3215-16	A4D44	16	1.17	8.74	9.91	8.32	81.8	
P3215-17	A4DA3	17	1.00	1.00	2.00	2.00	100.0	FB
P3215-18	VHBLK001	18	1.00	1.00	2.00	2.00	100.0	VHBLK
P3215-19	A4CJ4	19	1.17	8.36	9.53	7.12	71.2	
P3215-20	A4CJ5	20	1.18	8.70	9.88	6.8	64.6	
P3215-21	A4CJ6	21	1.15	8.83	9.98	8.04	78.0	
P3215-22	A4CJ7	22	1.18	8.74	9.92	7.56	73.0	
P3215-23	A4CJ8	23	1.16	8.76	9.92	9.02	89.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$