

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Niha

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB131684

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P3294-01	HR-1-071724	1	100.02	0.00	07/19/2024	14:00
2	P3294-01DUP	HR-1-071724DUP	1	100.02	0.00	07/19/2024	14:08
3	P3294-03	HR-3-071724	1	100.03	0.00	07/19/2024	14:16
4	P3294-05	HR-4-071724	1	100.01	0.00	07/19/2024	14:24
5	P3302-01	285-290	1	100.04	0.00	07/19/2024	14:32
6	P3314-01	VNJ206	1	100.02	0.00	07/19/2024	14:40

WORKLIST(Hardcopy Internal Chain)

LB131684

WorkList Name : PAINT FILTER-071924

WorkList ID : 181980

Department : Wet-Chemistry

Date : 07-19-2024 11:32:58

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P3294-01	HR-1-071724	Solid	Paint Filter	Cool 4 deg C	PSEG05	M21	07/17/2024	9095B
P3294-03	HR-3-071724	Solid	Paint Filter	Cool 4 deg C	PSEG05	M21	07/17/2024	9095B
P3294-05	HR-4-071724	Solid	Paint Filter	Cool 4 deg C	PSEG05	M21	07/17/2024	9095B
P3302-01	285-290	Solid	Paint Filter	Cool 4 deg C	PSEG03	C41	07/18/2024	9095B
P3314-01	VNJ206	Solid	Paint Filter	Cool 4 deg C	PSEG03	C51	07/19/2024	9095B

Date/Time 07.19.2024, 13:50
Raw Sample Received by: NF(wc)
Raw Sample Relinquished by: [Signature]

Date/Time 07.19.2024, 14:50
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: NF(wc)